



	Model	CFM	Rated PSI	GPM Required	Hydraulic Pressure	Length	Width	Height	Weight
Single Stage Piston Series Hydraulic Drive	8P	8	100	7	1800 PSI	23"	14.5"	17"	120 lbs
	13P	13	100	7	1800 PSI	23"	14.5"	17"	125 lbs
	30P	30	100	11	1850 PSI	28"	20"	20"	220 lbs
	70P	70	100	18	2650 PSI	32"	22"	22"	285 lbs
TWO-STAGE PISTON SERIES HYDRAULIC DRIVE	23P	23	175	8	2300 PSI	28"	19.5"	28"	270 lbs
	46P BELT DRIVE	46	175	18	2500 PSI	28"	26"	32"	430 lbs
	46P	46	175	18	2500 PSI	33.5"	26"	32"	430 lbs
	60P* <small>* No oil cooler or fan</small>	60	175	16	2300 PSI	46"	24"	35"	625 lbs
	110P* <small>* No oil cooler or fan</small>	110	175	24	2300 PSI	43"	28"	36.5"	750 lbs
ROTARY SERIES HYDRAULIC DRIVE	30R	30	100	12	1750 PSI	24"	20"	21"	170 lbs
	45R	40	100	12	2600 PSI	27"	20"	19"	310 lbs
	65R	65	100	18	2750 PSI	29"	22"	26"	345 lbs



Air compressor assemblies include direct drive coupling, oil cooler, fan, and hydraulic motor.
 All Hydraulic Compressors are Priced as Open Center systems. Closed center systems are available upon request.

Designed and manufactured in the USA.
 *information is subject to change without notice